

ALL[®]

Family of Companies

EQUIPPED TO SERVE YOU BETTER.





WE'RE ALL IN.

Since 1964, the ALL® Family is the leader in the heavy lift industry.

When you choose us, you work with a partner that's all in. Rental, sales, parts, job site analysis, engineering, lift planning, unparalleled service, and the expertise to help match the right equipment for the job. Market strengths that run the gamut, including commercial construction, roads and bridges, power generation, plants and processing, facility maintenance, and more.

We're the largest privately owned crane rental and sales enterprises in North America, with strategically located, full-service branches operating under the ALL, ALT, Central, Dawes, and Jeffers names, including specialized divisions for aerial lifts, boom trucks, and parts. We're big enough to offer superior reach and resources, and nimble enough to anticipate and quickly respond to customer needs and market demands.

We offer one of the world's largest and most modern fleets, and generations of industry veterans who lead with experience every day. We're ALL IN to make your job a success.



FORGED THROUGH THE DECADES. BUILT FOR THE FUTURE.

Generations of Excellence



What started with three brothers and one crane has grown into three generations of family leadership, three dozen branches across the U.S. and Canada, 3,500 pieces of equipment, and 1,500 employees. The founding Liptak brothers are still involved with daily operations, with second and third generations of their family now in leadership positions. Personnel across the company also bring their children into the fold, and it's not unusual to have fathers and sons working side-by-side at job sites and within departments. This speaks to a winning culture and also provides continuity, stability, and expertise to customers.



Founders Michael C. Liptak Jr. and Larry Liptak (brother Jake does not appear in photo). Photo circa 1977.



Superior Service and Parts Access



Uptime is the name of the game, and our reputation for service and maintenance is unequalled. It is demonstrated every day by the industry's most reliable and diverse fleet. We have more than 100,000 factory parts in stock, including a backup motor for many models of cranes in our fleet, so we're ready for any eventuality.

Strength in People



It's our people who make our company what it is. Managers who started out as oilers and worked their way up. Sales reps who truly understand cranes, and probably spent some time in the seat. Engineers who read job sites like others read books and translate demands into reality. Maintenance personnel who've earned the respect of international brands. Not to mention that ALL is a family company in the truest sense. It was founded by a family, and now other families have made it their life's work, too.

Thoughtful Growth

There are times when speed isn't the most important thing, such as when you're building a business that will last. We understand. And that's why meticulous planning has always been one of the secrets to our success. We have forged our own path by accurately anticipating where our industry is heading. When you stay ahead of trends long enough, you start setting your own. Through thoughtful, deliberate growth, we've created a company centered on the needs of customers. A company forged through the decades and built for the future.

ALL is an authorized dealer for these popular brands of cranes, boom trucks, aerial boom and scissor lifts, telehandlers, and trailers.





CRAWLER CRANES

from 2 to 1,200 USt

Stronger and more stable at longer distances, a crawler's tracks enable it to move virtually anywhere on a job site, even with a load on the line. A lattice-boom crane is the best selection when the job requires long vertical reaches or long-term work. The uncontested behemoth of our lineup is the power-packed, 1,200-ton Liebherr LR 11000, the largest crane in our fleet.

Our crawler fleet, one of the largest privately owned inventories in the country, includes units ranging from 50- to 1,200-ton capacities. We continuously invest in new equipment to bring excellence to your job site, often taking first orders of major crane introductions by diverse manufacturers.



Whatever the job, ALL has the equipment to do it safely, on time, and on budget.

CRAWLER CRANES

Manufacturer	Model	Tonnage	Boom	Jib	Luffing
Liebherr	LR 11000	1,200	551'		
Liebherr	LR 1800	880	591'		334'
Manitowoc	21000	834	400'		120' - 240'
Manitowoc	MLC650	716	341'	39' - 137'	85' - 331'
Manitowoc	18000	660	400'		90' - 310'
Manitowoc	16000	440	315'		79' - 276'
Manitowoc	MLC300	330	334.6'	39.4' - 137.8'	315'
Manitowoc	2250	300	330'	40' - 120'	70' - 200'
Manitowoc	999	275	290'	30' - 80'	70' - 240'
Manitowoc	888	230	290'	30' - 80'	70' - 170'
Manitowoc	4100	230	280'	30' - 60'	
Manitowoc	14000 III	220	292'	30' - 80'	70' - 170'
Link-Belt	LS248HSL	200	285'	30' - 100'	
Kobelco	CK1600G-2	160	250'	40' - 100'	
Link-Belt	LS 238 HSL	150	260'	30' - 80'	80' - 160'
Kobelco	CK1100G-2	110	200'	30' - 60'	
Link-Belt	LS 218HSL	110	230'	30' - 75'	80' - 140'
Kobelco	CK800G-2	80	200'	30' - 60'	
Link-Belt	LS 138HSL	80	200'	30' - 60'	

CRAWLER CRANES WITH MAX-ER

Manufacturer	Model	Tonnage	Boom	Jib	Luffing
Manitowoc	21000 MAX-ER	1,000	380'		120' - 300'
Manitowoc	18000 MAX-ER	825	400'		90' - 310'
Manitowoc	MLC650 VPCMAX	772	479'		331'
Manitowoc	2250 MAX-ER	500	400'	40' - 120'	70' - 240'
Manitowoc	16000 Hanging MAX-ER	418	393.7'		79' - 276'
Manitowoc	MLC300 VPCMAX III	325	393.7'	39.4' - 137.8'	315'

TELESCOPIC CRAWLER CRANES

Manufacturer	Model	Tonnage	Boom	Jib	Luffing
Link-Belt	TCC-2500	250	223'	12' - 117'	
Link-Belt	TCC-1400	140	195'	10' - 55'	
Link-Belt	TCC-1100	110	150'	10' - 55'	
Link-Belt	TCC-800	80	120'	35' - 58'	
Link-Belt	TCC-750	75	115'	35' - 58'	
Link-Belt	TCC-500	50	110'	28.5' - 51'	

MINI CRAWLER CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Maeda	MC305-3	2.98	47'	
Maeda	MC285-3	2.82	31'	



In a tight spot? Turn to ALL for your crawler needs great and small. Our extensive fleet ranges from 2- to 1,200-ton capacities.

ALL-TERRAIN CRANES

from 50 to 900 USt

All-terrain (AT) cranes are versatile enough to be driven on public roads and on the job site, using all-wheel and crab steering. Each of our branches is stocked with a robust fleet. We often purchase first-off-the-line models, offering dynamic options that suit a wide range of applications and road regulations.



Choose from ALL's fleet of all-terrain cranes for powerful performance and superior mobility, accompanied by industry-leading service and support for ultimate reliability and peace of mind.



ALL-TERRAIN CRANES

Manufacturer	Model	Tonnage	Boom	Jib	Luffing
Liebherr	LTM 1750-9.1	900	171'	20' - 203'	69' - 299'
Liebherr	LTM1650-8.1	770	263'	20' - 299'	69' - 299'
Liebherr	LTM1500-8.1	600	276'	20' - 184'	69' - 299'
Grove	GMK 7550	550	197'	39' - 230'	85' - 240'
Liebherr	LTM 1450-8.1	500	279'	23' - 184'	46' - 276'
Liebherr	LTM 1400-7.1	500	197'	23' - 184'	69' - 276'
Grove	GMK 6400	450	197'	210'	82' - 259'
Tadano	ATF 400G-6	450	197'	20' - 162'	75' - 58'
Liebherr	LTM 1350-6.1	400	230'	20' - 138'	39' - 256'
Liebherr	LTM 1300-6.2	360	256'	46' - 138'	57' - 230'
Grove	GMK 6300L	350	262'	39' - 121'	NA
Grove	GMK 6350	350	197'	36' - 167'	69' - 200'
Liebherr	LTM 1250-6.1	300	236'	18' - 118'	230'
Liebherr	LTM 1230-5.1	275	246'	38' - 141'	
Liebherr	LTM 1220-5.2	265	197'	40' - 141'	
Grove	GMK 6250L	250	236'	43' - 125'	
Liebherr	LTM 1200-5.1	240	236'	18' - 118'	
Link-Belt	ATC-3210	210	200'	40' - 67'	
Liebherr	LTM 1160-5.2	190	197'	40' - 118'	
Liebherr	LTM 1150-5.3	170	217'	10' - 85'	
Grove	GMK 5165	165	197'	59' - 105'	
Liebherr	LTM 1130-5.1	155	197'	35' - 108'	
Liebherr	LTM 1120-4.1	135	217'	10' - 85'	
Liebherr	LTM 1110-5.1	125	197'	10' - 108'	
Liebherr	LTM 1100-5.2	120	171'	35' - 108'	
Liebherr	LTM 1090-4.2	110	197'	31' - 52'	
Grove	GMK 5095	95	197'	72'	
Liebherr	LTM 1070-4.2	80	164'	31' - 52'	
Liebherr	LTM 1060-3.1	50	157'	31' - 52'	
Liebherr	LTM 1055-3.2	60	131'	31' - 52'	
Liebherr	LTC 1050-3.1	50	118'	25' - 43'	
Liebherr	LTC 1045-3.1	50	118'	25' - 43'	

ROUGH-TERRAIN CRANES

from 15 to 165 USt

Readily handling the uneven ground at work sites, rough-terrain (RT) cranes offer versatility and power in a compact package. The smaller four-wheel drive RT is perfect for pick-and-carry in off-road applications, capable of handling even the toughest conditions. Their small size comes in handy when job sites have tight clearances, like those found at petrochemical plants and refineries.

For decades, ALL has heavily invested in RTs because of the value they provide customers. Each branch is fortified with a variety of models to meet high demand.



For off-road applications and more, ALL showcases the finest fleet of rough-terrain cranes. These versatile machines are called upon to traverse construction sites, get into confined spaces, and do the dirty work without complaint.

ROUGH-TERRAIN CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Grove	GRT9165	165	205'	36' - 84'
Grove	RT9150E	150	197'	36' - 105'
Link-Belt	RTC 80150 II	150	195'	31' - 55'
Grove	RT9130E	130	160'	36' - 111'
Link-Belt	RTC-80130 II	130	162'	10' - 109'
Grove	GRT8120	120	197'	34' - 57'
Liebherr	LRT1100-2.1	110	164'	34.5' - 62.3'
Link-Belt	RTC-80110 II	110	150'	31' - 85'
Tadano	GR-1000XL	100	154'	33' - 58'
Link-Belt	RTC-80100	100	150'	31' - 85'
Grove	GRT8100	100	154'	33' - 56'
Liebherr	LRT1090-2.1	100	154'	34.5' - 62.3'
Grove	RT890E	90	142'	33' - 88'
Grove	GRT880	80	134'	33' - 76'
Link-Belt	RTC-8080 II	80	127'	35' - 58'
Grove	RT880E	80	128'	33' - 56'
Grove	RT875E	75	114'	33' - 58'
Grove	RT770E	70	138'	33' - 56'
Link-Belt	RTC-8065	65	115'	35' - 90'
Grove	RT765E-2	65	110'	33' - 56'
Grove	RT760E	60	110'	33' - 56'
Grove	GRT655L	55	141'	26' - 45'
Terex	RT555	55	110'	32' - 57'
Tadano	GR 550XL	55	113'	28.9' - 50'
Grove	RT650E	50	105'	29' - 51'
Link-Belt	RTC-8050 II	50	110'	34' - 56'
Grove	RT540E	40	102'	26' - 45'
Grove	RT530E	30	95'	26' - 45'
Link-Belt	RTC-8030 II	30	91'	27' - 44'
Terex	RT230	30	94'	26' - 43'
Broderson	RT-300-2G	15	60'	20'



Today's rapid-paced construction environment demands fast mobilization of resources, and ALL's deep bench of RTs gets the jobsite up and running with minimal fuss.





HYDRAULIC TRUCK CRANES

from 40 to 140 USt

These smaller-capacity cranes offer superior mobility and significant savings for lighter lifts.



HYDRAULIC TRUCK CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Link-Belt	HTC-3140	140	162'	10' - 109'
Grove	TMS900E	110	142'	33' - 56'
Link-Belt	HTC 86110	110	164'	10' - 90'
Link-Belt	HTC-86100	100	140'	35' - 90'
Link-Belt	HTC-8690	90	140'	35' - 90'
Link-Belt	HTC-8675L	75	127'	38' - 64'
Link-Belt	HTC-8660 II	60	110'	28' - 51'
Terex	T560-1	60	110'	32' - 57'
Link-Belt	HTC-8650	50	110'	28' - 51'
Grove	TMS700E	50 or 60	110'	33' - 56'
Grove	TMS500-2	40	102'	26' - 45'

Hydraulic truck cranes handle jobs that call for lighter lifts, and they offer ultimate ease of transport to the work location. ALL's diverse fleet means you always get the right crane for the job.

INDUSTRIAL CRANES

from 8 to 25 USt

Industrial cranes/carry decks have a narrow width, tight turning radius, and 360-degree swing to maneuver in confined areas. All models have pick-and-carry capabilities, carrying loads on their flat deck surfaces.

These cranes are ideal for industrial environments such as automotive and paper mills, where they are mostly used on smooth concrete slabs. When outfitted to navigate rough terrain, applications extend to steel mills, refineries, and powerhouses. They are ideal for environments that require more capacity for pick-and-carry, for their ability to navigate various types of buildings and narrow alleys, and where low profiles are necessary to fit under pipe trestles and other low-hanging factory areas.



INDUSTRIAL CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Shuttlelift	7725	25	71'	17'
Broderson	IC-400-3B	25	64'6"	20'
Shuttlelift	7755	22	67'	17'
Broderson	IC-280-3A	20	63'5"	20'
Shuttlelift	5540F	15	41'	15'
Broderson	IC-200-3G	15	50'	16'
Broderson	IC-200-3H	15	50'	16'
Shuttlelift	3339	9	32'	12'
Broderson	IC-80-3J	9	30'	6'



TOWER CRANES

from 4 to 35 USt

ALL's Tower Crane Division is headquartered in Richfield, Ohio (just a few miles south of Cleveland), and supports all branches of the ALL Family of Companies.

Our fleet of towers includes all classes, from small, mobile self-erecting towers to traditional hammerhead towers, flat-top towers, and luffing jib towers. Equipment from major manufacturers Peiner, Potain, and Liebherr ranges from 98 feet to 262 feet of jib, with capacities from 4 tons to 35 tons.

ALL Tower Crane has professional engineers on staff, greatly enhancing our capabilities to the customer; services include lift planning and foundation design.

ALL's operation includes shipping the crane to the site on our own trailers, erection of the towers, and, when the job is complete, disassembly and removal. Experienced tower operators are also part of our complete service model.



SELF-ERECT PORTABLE TOWER CRANES

Manufacturer	Model	Tonnage	Tower	Jib
Liebherr	125 K	8.8	136'	180'
Manitowoc/Potain	Igo T130	8.8	122'	164'
Manitowoc/Potain	Igo T85A	6.6	125'	148'
Manitowoc/Potain	HDT-80	6.6	112'	148'
Manitowoc/Potain	Igo T70A	4.4	115'	131'

FREESTANDING HAMMERHEAD TOWERS

Manufacturer	Model	Tonnage	Tower	Jib
Terex/Peiner	SK 575	35.2	213'	262'
Manitowoc/Potain	MD 610	27.6	272'	262'
Manitowoc/Potain	MD 509	22.0	220'	262'
Manitowoc/Potain	MD 485B	22.0	236'	262'
Terex/Peiner	SK 415	22.0	214'	246'
Terex/Peiner	SK 315	17.6	214'	230'

FREESTANDING FLAT TOP TOWERS

Manufacturer	Model	Tonnage	Tower	Jib
Manitowoc/Potain	MDT 389	17.6	251'	246'
Manitowoc/Potain	MDT 368	17.6	245'	246'
Manitowoc/Potain	MDT 219	11.0	220'	213'
Manitowoc/Potain	MDT 178	8.8	220'	197'

FREESTANDING LUFFING TOWERS

Manufacturer	Model	Tonnage	Tower	Jib
Manitowoc/Potain	MR 608	35.2	205'	197'
Manitowoc/Potain	MR 418	26.4	220'	197'
Manitowoc/Potain	MR 298	26.4	212'	197'



ALL tower cranes dot the horizons of virtually every booming North American city.



AERIAL BOOM & SCISSOR LIFTS

from 10 ft to 185 ft

The ALL Aerials Division offers electric and engine scissor lifts, electric/engine boom lifts, and articulating boom lifts. Boom lifts can elevate higher, while scissor lifts provide a larger work station.

Choose telescopic (straight or stick boom) boom lifts for high-reach applications. These lifts include 360-degree rotating turntables that move in either direction for easier positioning and have booms that can be raised or lowered from vertical to below horizontal and extended while the work platform remains straight and stable. When a telescopic boom cannot easily approach the load pick or drop site, choose an articulating boom.

ALL Aerials offers full parts, service, and repair for JLG, Genie, Skyjack, Snorkel, Hy-Brid, MEC, and Haulotte equipment. We also offer on-site repairs and quarterly and annual inspections for our equipment and yours. Most branches have aerial equipment in their fleets, with technical training for personnel and service for customers managed out of ALL Aerials headquarters in Richfield, Ohio.



TELESCOPIC BOOMS

Make/Model	Platform Height	Capacity	Base Width	Vehicle Weight	Power
JLG 1850SJ	185'	1,000 lbs.*	16'6"	59,930 lbs.	Diesel
Genie SX-180	180'	750 lbs.	16'6"	55,000 lbs.	Diesel
JLG 1500SJ	150'	1,000 lbs.*	12'6"	48,000 lbs.	Diesel
JLG 1350SJP	135'	1,000 lbs.*	12'6"	45,000 lbs.	Diesel
Genie S-125	125'	500 lbs.	11'0"	44,640 lbs.	Diesel
JLG 1200SJP	120'	1,000 lbs.*	12'6"	40,900 lbs.	Diesel
JLG 860SJ	86'	750 lbs.*	8'2"	37,620 lbs.	Diesel
Genie S-85	85'	500 lbs.	8'2"	35,860 lbs.	Diesel
JLG 800S	80'	1,000 lbs.*	8'2"	33,200 lbs.	Diesel
Genie S-80	80'	500 lbs.	8'2"	33,380 lbs.	Diesel
JLG 660SJ	66'	500 lbs.	7'11"	27,600 lbs.	Diesel
Genie S-65	65'	500 lbs.	8'2"	22,270 lbs.	Diesel
Genie S-65TRAX	65'	500 lbs.	8'6"	26,960 lbs.	Diesel
JLG 600S	60'	1,000 lbs.*	7'11"	22,750 lbs.	Diesel
JLG E600JP	60'	500 lbs.	7'11"	15,200 lbs.	Battery
Genie S-60	60'	600 lbs.	8'2"	20,690 lbs.	Diesel
JLG 460SJ	46'	500 lbs.	7'7"	15,850 lbs.	Diesel
Genie S-45	45'	500 lbs.	7'6"	14,790 lbs.	Diesel
JLG 400S	40'	1,000 lbs.*	7'7"	12,650 lbs.	Diesel
Genie S-40	40'	500 lbs.	7'6"	11,650 lbs.	Diesel

* Restricted

ROUGH-TERRAIN SCISSOR LIFTS

Make/Model	Platform Height	Platform Capacity	Base Width	Vehicle Weight	Platform W x L + Ext
MEC 5492RT	54'	2,500 lbs.	92"	19,500 lbs.	75" x 206" + 7'7"
Skyjack SJ9250	50'	2,000 lbs.	92"	14,970 lbs.	74" x 168" + 5'
Skyjack SJ8850	50'	800 lbs.	88"	11,730 lbs.	65" x 116" + 4'
Skyjack SJ8243	43'	1,000 lbs.	82"	10,870 lbs.	65" x 116" + 4'
Skyjack SJ8841	41'	1,500 lbs.	87"	10,880 lbs.	67" x 134" + 4'
Skyjack SJ7135	35'	1,000 lbs.	71"	9,120 lbs.	64" x 115" + 4'
Skyjack SJ6832	32'	1,000 lbs.	68"	7,660 lbs.	56" x 96" + 5'
Skyjack SJ7127	27'	1,500 lbs.	71"	8,690 lbs.	64" x 117" + 4'
Skyjack SJ6826	26'	1,250 lbs.	70"	6,400 lbs.	56" x 96" + 5'

ELECTRIC SCISSORS

Make/Model	Platform Height	Platform Capacity	Base Width	Vehicle Weight	Platform W x L + Ext
JLG 4069LE	40'	800 lbs.	69"	10,560 lbs.	65" x 115" + 3'
Skyjack SJ4740	40'	500 lbs.	47"	7,480 lbs.	42" x 86" + 3'
Skyjack SJ4632	32'	700 lbs.	46"	5,075 lbs.	42" x 84" + 4'
Skyjack SJ3226	26'	500 lbs.	32"	4,135 lbs.	28" x 84" + 3'
Skyjack SJ4626	26'	1,000 lbs.*	46"	4,700 lbs.	42" x 84" + 4'
Skyjack SJ3220	20'	900 lbs.	32"	3,510 lbs.	28" x 84" + 3'
Skyjack SJ20	20'	350 lbs.	32"	2,440 lbs.	27" x 36" + 16"
Skyjack SJ3219	19'	500 lbs.	32"	2,580 lbs.	28" x 64" + 3'
Skyjack SJ16	16'	500 lbs.	31"	2,160 lbs.	27" x 37"
Hy-Brid HB-1430	14'	670 lbs.	30"	1,645 lbs.	25" x 60" + 2.5'
Hy-Brid HB-1030	10'	750 lbs.	30"	1,273 lbs.	25" x 60" + 2.5'

* Restricted



ARTICULATING BOOMS

Make/Model	Platform Height	Capacity	Working Width	Drive	Vehicle Weight	Power
Genie Z-135/70	135'	600 lbs.	12'11"	4WD	44,900 lbs.	Diesel
JLG 1250AJP	125'	1,000 lbs.*	12'6"	4WD	44,000 lbs.	Diesel
JLG 800AJ	80'	500 lbs.	8'0"	4WD	34,300 lbs.	Diesel
Genie Z-80/60	80'	500 lbs.	8'2"	4WD	37,500 lbs.	Diesel
Genie Z-62/40	62'	500 lbs.	8'1"	4WD	22,520 lbs.	Diesel
JLG 600AJ	60'	500 lbs.	8'0"	4WD	23,050 lbs.	Diesel
Genie Z-45/25J RT	46'	500 lbs.	7'6"	4WD	16,300 lbs.	Diesel
JLG E450AJ	45'	500 lbs.	5'9"	2WD	14,400 lbs.	Battery
JLG 450AJ	45'	500 lbs.	6'6"	4WD	15,520 lbs.	Diesel
JLG E400AJPN	40'	500 lbs.	4'11"	2WD	14,900 lbs.	Battery
Genie Z-34/22N	34'	500 lbs.	4'10"	2WD	11,400 lbs.	Battery
JLG 340AJ	34'	400 lbs.	6'2"	4WD	9,700 lbs.	Diesel
Genie Z-30/20NRJ	30'	500 lbs.	3'11"	2WD	14,220 lbs.	Battery
JLG E300AJP	30'	500 lbs.	4'0"	2WD	15,800 lbs.	Battery

* Restricted

FORKLIFTS/MATERIAL HANDLERS

from 5,000 to 33,000 lbs

Industrial, rough-terrain, and telescopic forklifts provide superior control when lifting heavier materials as high as six stories.

We are the largest telescopic forklift dealer in the Midwest. Look to us for leadership brands and, as always, count on ALL for quality service after the sale.

We offer a comprehensive selection of equipment, with a large inventory of each model.



TELESCOPIC FORKLIFTS

Manufacturer	Model	Unit Ht. (stowed)	Unit Width	Capacity (lbs)	Lift Height	Reach
Skyjack	ZB2044-44	9'	8'6"	20,000	44'10"	42'6"
Skyjack	SJ1256 TH	8'6"	8'5"	12,000	56'3"	42'6"
JLG	1255	8'4"	8'5"	12,000	55'	42'
Skyjack	SJ1056 TH	8'1"	8'5"	10,000	53' 3"	42'
JLG	1055	8'4"	8'4"	10,000	55'	42'
Gradall	534D9-45	7'8"	8'	9,000	45'	31'5"
JLG	943	8'	8'	9,000	43'	30'6"
Skyjack	SJ843 TH	7'11"	8'5"	8,000	43'4"	28'7"
Genie	GTH-5519	6'6"	5'11"	5,500	18'10"	11'3"
JLG	G5-18A	6'3"	6'	5,000	18'5"	10'11"

STRAIGHT MAST FORKLIFTS

Manufacturer	Model	Capacity (lbs)	Lift Height	Machine Weight (lbs)	Fuel Type
Caterpillar	DP150N1	33,000	18'	39,160	Diesel
Caterpillar	PD12000	12,000	11'	16,843	Diesel
Caterpillar	GP40K	8,000	15'6"	13,820	Gas
Caterpillar	GP40	8,000	15'6"	13,310	Gas
Caterpillar	P8000	8,000	15'6"	12,900	Dual Fuel
Caterpillar	PD8000	8,000	15'6"	12,900	Diesel
Caterpillar	P6000	6,000	15'5"	10,130	Dual Fuel



ALL's selection of telescopic and straight mast forklifts from respected manufacturers fits the bill for all the smaller jobs necessary to keep a job site on task and on schedule.

BOOM TRUCKS & TRAILERS

from 23 to 60 USt

The best names in boom trucks are represented in the ALL rental fleet, supported by ALT Sales Corp., our boom truck division.

Core markets for boom trucks include construction, utilities and forestry, roofing, lighting and sign maintenance, exterior painting, and delivery of bricks, drywall, sand/gravel, and concrete precast.

The ALL Advantage

Our skilled technicians assemble and service hundreds of boom trucks per year, with fast turnaround and less downtime for customers. We can even provide maintenance and parts for boom trucks in your fleet.

Looking to Buy?

Even if it's a model not found in our rental fleet, ALT can get it for you. We are a dealer for all models of new and used Fassi, Landoll, Manac, Manitex, National, and MAC boom trucks. Visit altsales.com to learn how to "build-a-boom" that suits your needs and applications.



BOOM TRUCKS

Manufacturer	Model	Tonnage	Boom	Jib	Max. Tip Ht.	Swing BT
National	NBT60XL	60	151'	36'	194'	Rider Seat
National	NTC55	55	128'	26' - 45'	179'	Rider Seat
Manitex	TC50155SHL	50	155'	39'	204'	Rider Seat
Manitex	TC50128S	50	128'	32' - 49'	185'	Rider Seat
National	NBT50	50	128'	26' - 45'	179'	Rider Seat
Manitex	TC45142	45	142'	30.5' - 55'	187'	Swing Seat
National	NBT45	45	127'-142'	31' - 55'	206'	Rider Seat
Terex	Crossover 4500L	45	129'	32' - 49'	183'	Rider Seat
National	NBT40	40	142'	31' - 55'	190'	Rider Seat
Manitex	40124S	40	124'	31' - 55'	190'	Rider Seat
Manitex	35124C	35	124'	31'	165'	Stand Up
National	1400A	33	127'	30' - 54'	172'	Rider Seat
Manitex	30112S	30	112'	26' - 46'	168'	Rider Seat
National	1300A	30	110'	25' - 44'	163'	Rider Seat
Manitex	30102C	30	102'	26' - 46'	159'	Stand Up
Manitex	30100C	30	100'	26' - 46'	157'	Stand Up
National	NBT30H-2	30	110'	25' - 44'	119'	Stand Up
Manitex	26101C	26	101'	29'	142'	Stand Up
National	900A	26	103'	25' - 44'	155'	Stand Up
National	8100D	23	100'	25' - 44'	152'	Stand Up
Manitex	A62		62'		62'	Platform

ALT Sales Corp. is proud to be an authorized dealer for Landoll and Manac trailers. The ALL Family believes in these products, with hundreds supporting the rental fleet.

KNUCKLES

Manufacturer	Model	Boom	Swing BT
Fassi	1 - 160 tm	NA	Stand Up
MAC	5.9 - 150.3 tm	NA	Stand Up
MAC	PL74S	74'	Stand Up or Rider



SPECIALIZED FACILITIES

We have 31 branch locations strategically distributed across the U.S. and Canada help ensure access in key regions. But more than this, we operate specialized facilities dedicated to critical functions that give our customers flexibility and support their ease of operation: Service and repair hubs where ALL's signature maintenance is performed. Vast parts warehouses with redundancy and access built in. ALL Tower Crane, with a potent mix of focused

expertise and finger-on-the-pulse awareness of the needs of local markets. An engineering department that can plan for any lift in any environment, from packed urban streetscapes to heavily wooded, stony countryside. ALT Sales Corp, our boom truck and trailer specialists, recently awarded Elite Dealer status by National Crane by Manitowoc. These specialized facilities are a source of pride, but more importantly, the lifeblood for customers who rely on us.

ALABAMA

ALL Crane Rental of Alabama, LLC
Theodore, AL 36582
T 251-338-1694

ALL Crane Rental of Georgia, Inc.
Phenix City, AL 36869
T 706-561-3131

FLORIDA

ALL Sunshine Crane Rental Corp.
Apopka, FL 32703
T 407-880-2222

ALL Crane Rental of Florida, LLC
Tampa, FL 33610
T 813-622-7357

GEORGIA

ALL Crane Rental of Georgia, Inc.
Austell, GA 30168
T 770-944-3900

ILLINOIS

Central Contractors Service, Inc.
Alsip, IL 60803
T 708-385-1827

INDIANA

Central Rent-A-Crane, Inc.
Fort Wayne, IN 46804
T 888-203-4500

Central Rent-A-Crane, Inc.
Hammond, IN 46323
T 219-989-7500

Central Rent-A-Crane, Inc.
Indianapolis, IN 46225
T 888-203-4500

LOUISIANA

ALL Crane Rental of Louisiana, LLC
Geismar, LA 70734
T 225-673-8886

NORTH CAROLINA

ALL Carolina Crane & Equipment, LLC
Raleigh, NC 27617
T 919-782-2561

ALL Carolina Crane Rental of Wilmington, LLC
Rocky Point, NC 28457
T 910-675-9632

OHIO

CORPORATE HEADQUARTERS
ALL Family of Companies
Corporate Office
Independence, OH 44131
T 216-524-6550

ALL Erection & Crane Rental Corp.
Cleveland, OH 44131
T 216-524-6550

OHIO (cont'd)

ALL Crane Rental Corp.
Columbus, OH 43224
T 614-261-1800

Jeffers Crane Service, Inc.
Lima, OH 45804
T 419-223-9010

Jeffers Crane Service, Inc.
Oregon, OH 43616
T 419-693-0421

ALL Aerials, LLC

Richfield, OH 44286
T 330-659-9600
www.allaerials.com

ALL Tower Crane, LLC

Richfield, OH 44286
T 330-659-0777

ALT Sales Corp.
Richfield, OH 44286
T 330-659-2100
www.altsales.com

PENNSYLVANIA

ALL Crane Rental of Pennsylvania, LLC
West Elizabeth, PA 15088
T 412-382-4200

SOUTH CAROLINA

ALL Carolina Crane Rental, LLC
North Charleston, SC 29405
T 843-747-2018

TENNESSEE

ALL Crane Rental of Tennessee, LLC
Knoxville, TN 37918
T 865-686-0707

WEST VIRGINIA

ALL Crane & Equipment Rental Corp.
Nitro, WV 25143
T 304-766-0300

WISCONSIN

Dawes Rigging & Crane Rental, Inc.
Elk Mound, WI 54739
T 715-879-4800

Dawes Rigging & Crane Rental, Inc.
Kaukauna, WI 54130
T 920-766-0100

Dawes Rigging & Crane Rental, Inc.
Madison, WI 53718
T 608-221-2516

Dawes Rigging & Crane Rental, Inc.
Milwaukee, WI 53214
T 414-453-5335

DST, Inc.

Milwaukee, WI 53214
T 414-453-5335

CANADA

ONTARIO
ALL Canada Crane Rental Corp.
ALL Canada Aerials Ltd.
Mississauga, ON L4T 1G7
T 905-795-1090

ALL Canada Crane Rental Corp.
ALL Canada Aerials Ltd.
Hamilton, ON L7H 5L3
T 800-989-4845



THE INDUSTRY'S LARGEST TRUCK FLEET

Our fleet of trucks is so large, we'd be the fifth-largest trucking company in the country ... if we were a trucking company. We invest in transportation because when a crane needs to get a customer's job site fast, we are able to mobilize immediately, unhindered by any third party's schedule or agenda. It also lets us get parts to a job site with equal speed. It's why we have the fastest, most reliable coverage and delivery—so our customers can get to work and stay at work.




WE BELIEVE IN THE THREE Ps: PREPARATION - PLANNING - PERFORMANCE



Preparation

The best-prepared crane rental and sales enterprise in the world begins with an established network of service shops. The company's continental power derives from an investment in long-term machine maintenance and prompt, 24/7 service. Service records are centralized and accessible to all branches in real time. They mandate in-service inspections, 360-degree inspections, and maintenance that is proactive, not reactive. Being prepared means being ready to work when duty calls.



Planning

Every lift starts in the months, weeks, and days before it is executed. Each successful lift is the result of meticulous planning that defines the organization. It's in our 3-D lift planning software, the technology we use to connect our people, ongoing study of best practices to evolve processes at every level of the company, and in the responsive service that quickly and effectively course-corrects when plans change.

Performance

Executing thousands of lifts a day—every day—throughout our Family of Companies means we are simply more practiced than the next guy. We've been here before. We've seen the challenges. We train and learn best practices every day by learning from our own real-life challenges. Real leaders are ordinary people with extraordinary determination. They perform to the max; they are our legacy.

ALL[®]

Family of Companies

We Make ALL The Difference[®]

Rental • Sales • Service • Parts

800.232.4100 www.allcrane.com

ALL **ALL** **ALT** **CENTRAL** **DAWES** **JEFFERS**
AERIALS SALES CORP

© ALL Erection & Crane Rental Corp., an Equal Opportunity Employer

